

(Note: Edit these specifications to fit your project detail. Samples and estimating examples are available through [www.SnoGuard.com](http://www.SnoGuard.com), e-mail [sales@SnoGuard.com](mailto:sales@SnoGuard.com) or call 708.485-6272.)

**Section 07 72 53 Roof Accessories – Snow Guards**

**(Gough SnoGuard Type SGAR Specification Sheet for Slate Roofing)**

**PART 1 – GENERAL REQUIREMENTS**

**1.01 SUMMARY**

**A. DESCRIPTION OF WORK**

1. Install Gough SnoGuard Type SGAR snow guards for slate roofs.
2. Assure proper positioning of snow guards with roof installation.
3. Use proper fasteners for mechanical attachment.

**A. RELATED SECTIONS**

4. Section 07600 / Flashing and Sheet Metal / MasterFormat™ 2004 07 60 00
5. Section 07310 / Roofing Shingles / MasterFormat™ 2004 07 31 00
6. Section 07710 / Prefabricated Roof Specialties / 2004
7. Division 7: Thermal and Moisture Protection.

**1.02 SUBMITTALS**

- A. **PRODUCT DATA:** Submit manufacturer's product data & installation instructions.
- B. **SHOP DRAWINGS:** If not clearly shown on project drawings, submit roof drawing showing locations of all Gough SnoGuard Type SGAR snow guards and attachment spacing.
- C. **SAMPLES:** Submit sample of one Type SGAR snow guard as requested.

**1.03 QUALITY ASSURANCE:**

- A. **INSTALLER:** Installer is to be experienced in the installation of specified roofing material and snow guards for not less than 5 years in the area of the project.
- B. **FASTENERS:** Should be selected for compatibility with snow guard and roof deck.
- C. **CODE COMPLIANCE:** Comply with all applicable local, state, and national building codes, as well as OSHA regulations.
- D. **STORAGE:** Boxes containing Gough SnoGuards should be stored in a dry place until ready for use.

**PART 2 – PRODUCTS**

**2.1 MANUFACTURER**

- A. Gough SnoGuards, 4133 Du Bois Blvd., Brookfield, IL 60513-1809, voice (708) 485-6272, fax (708) 485-6273, e-mail: [Sales@SnoGuard.com](mailto:Sales@SnoGuard.com), Web Site: [www.SnoGuard.com](http://www.SnoGuard.com)

**2.2 MATERIAL**

- A. 24 oz. cold rolled copper
- B. With double pedestal

**2.3 FINISH**

- A. Copper

**PART 3 - EXECUTION**

**3.01 EXAMINATION**

- A. **Substrate:** Inspect roof system to be properly attached and installed to withstand additional loading incurred. Notify General Contractor of any deficiencies before installing Gough SnoGuards.

**3.02 INSTALLATION**

- A. Comply with architectural drawings for placement & Manufacturer's instructions for installation. Contact Manufacturer for sample layouts if needed.<sup>1</sup>